



STATE OF MICHIGAN
DEPARTMENT OF STATE POLICE
LANSING

GRETCHEN WHITMER
GOVERNOR

COL. JOSEPH M. GASPER
DIRECTOR

January 13, 2020

Mr. R. Burke Castleberry, Jr.
Lenawee County Prosecuting Attorney
Lenawee County, Michigan

Dear Mr. Castleberry,

I recently learned twelve breath alcohol tests were conducted on DataMaster (DMT) instrument 300341 located at the Tecumseh Police Department between February 15, 2019 –June 28, 2019. The DMT utilized for these tests did not pass all required checks during the onsite 120-day inspection that was completed on February 15, 2019.

The DMT should have been repaired at that time, however, the repair was not completed until June 28, 2019. This letter is to make your office aware of the situation and for you to decide on a case by case basis how your office would like to handle the charges.

Below are the names of the twelve-breath alcohol test to assist you with identifying the exact Operating While Impaired (OWI) cases that were affected.

[Redacted names of twelve-breath alcohol test cases]

Please let us know your determination regarding each of the OWI cases previously mentioned. If you have any questions or wish to discuss the matter in greater detail, please feel free to contact either myself, [Sgt. Gina Gettel](#) at [REDACTED] or [Mr. Mark Fondren](#), Breath Alcohol Technical Leader at [REDACTED].

Sincerely,

Gina Gettel, Sergeant
Breath Alcohol Program Manager
Michigan State Police